Location Summary Report

Experiment: EAST KCJ PKP SB E3

Group 2

Tracking Name: OFGB23153690_*****

Crop: Soybeans

Previous Crop: Corn
Row Width (in): 15

Rows Harvested

(count): 8

Planting Date: 05/05/2023

Harvest Date: 10/09/2023

Sales Agend	cy: Bracy Ag Services LLC	BP Name: Bracy; Richard	BP ID : 1010079680					
Trial location: Latitude: 42.01506		Longitude: -84.93339	State:	Postal Code:	County:			
Trial Type: ☐ Agronomic ☑ Genetic								
Irrigation:	☐ Full ☐ Limited ☐ Non-irrigated ☐ Unknown							
Tillage:	☐ Conservation	☐ Conventional	☐ Mulch	□ No-Till				
	□ Ridge	□ Strip	☐ Unknown					
Weighing Device:	□ Both	☑ Weighed	☐ Yield Monitor					
Device.								

Comments: 15 lbs 28% fertigated at R1.

Aproach Prima applied R2 with Utrisha N. Best standing varieties: 23A40, 25A16, 22A76.

Additional Location Traits:

Foliar Fungicide Used (list):

Total N (lb/a):

Brand	Product	Sub Product Code	Planting Rate # Rows Planted		Harvested		Weighed		Test Weight (lb/bu)	Harvest Stand		
			(n/.001a) (count)	Harvest Weight (lb)	Harvest Length (ft)	Harvest Width (in)	Yield (bu/a 60#)	Moisture (pct)	AGI \$/a		(n/.001a)	
1-Pioneer	P18A73E	SB2P	130	24	1192	373	360	75.9	14.6	948.75		
2-Pioneer	P19A37E	UNTR	130	8	354	373	120	67.2	15.1	840.00		
3-Pioneer	P21A53E	SB2P	130	8	364	373	120	69.1	15.2	863.75		
4-Pioneer	P22A67E	SB2P	130	8	430	373	120	81.8	15	1022.50		
5-Pioneer	P23A40E	SB2P	130	8	394	373	120	75.4	14.5	942.50		
6-Pioneer	P24A07E	SB2P	130	8	408	373	120	77.6	15	970.00		
7-Pioneer	P25A16E	SB2P	130	8	378	373	120	72	14.9	900.0		
8-Dairyland Seed	DSR-2640E	FIST	130	8	318	373	120	60	15.7	750.0		
9-Pioneer	P28A39E	SB2P	130	8	418	373	120	79.5	15	993.75		
10-Pioneer	P28A65E	SB2P	130	8	380	373	120	72.3	15	903.75		
11-Pioneer	P30A75E	SB2P	130	8	372	373	120	70.3	15.5	878.75		
12-Pioneer	P31A73E	SB2P	130	8	406	373	120	76.9	15.3	961.25		
13-Pioneer	P18A73E	SB2P	130	6	290	373	90	73.8	14.7	922.50		

Aprouch Prima

Market Price	Market Segment	Segment Price Adj.	Adjustment	Total Market Price
\$12.50	Standard	\$0.00	\$0.00	\$12.50
\$12.50	High Oleic	\$0.00	\$2.00	\$14.50
\$12.50	Low Linolenic	\$0.00	\$0.00	\$12.50

PIONEER.

©2023, Pioneer Hi-Bred International, Inc. All rights reserved. The services associated with providing this information are provided for the grower's individual evaluation of products and conditional upon the grower agreeing that no part of this document, or information provided in this document, may be shared with any third party including any third party seed company. Any reproduction or use of this form or the data contained herein, without prior written permission of Pioneer Hi-Bred International, Inc. is strictly prohibited unless you are a DuPont Pioneer employee or authorized sales agent of Pioneer Hi-Bred International, Inc.

☑ Yes ☐ No Business Partner hereby grants Pioneer Hi-Bred International, Inc. permission to use the above information for any individual location data published by the company.				
☑ Yes □ No Business Partner hereby grants Pioneer Hi-Bred International, Inc. permission to include name and field latitude / longitude in published information.				
(If not checked, permission to print is assumed.)				
Business Partner Signature:	Weighing Representative Signature:			

Data Entry
Sales Reps and Retailers
1000W Jefferson St., Tipton, IN 46072
1.877.746.6337 option 4

PIONEER® brand products are provided subject to the terms and conditions of purchase which are part of the labeling and purchase documents. The DuPont Oval Logo is a registered trademark of DuPont. ®, SM, TM Trademarks and service marks of Pioneer.

(1) YIELD = (100 - MOISTURE) x (LBS. OF GRAIN) x (FACTOR) ÷ (HARVESTED LENGTH IN FEET) ÷ (HARVESTED WIDTH IN INCHES). Not applicable if weighed with Yield Monitor. Yield monitor yields are estimates of yield taken from the yield monitor data files. Yield estimate calculations are dependent on the equipment and software manufacturer. Yield estimates from a yield monitor can vary significantly from actual yields of hybrids/varieties at a single point, within areas of a field or in aggregate. Any number of factors such as inappropriate calibration, machine settings, machine dynamics, grain characteristics, temperature, slope, operator error, etc. can impact the accuracy of yield monitor yield estimates.

Temperature, rainfall and solar radiation are estimates based on available data from weather stations in the area. Crop growth indices for individual hybrids, including estimates of silking and maturity dates, are produced by the proprietary EnClass® crop growth model using this weather information. Though crop growth indices produced by the proprietary EnClass® crop growth model using this weather information. Though crop growth indices produced by the proprietary EnClass® crop growth model using this weather information. Though crop growth indices produced by the proprietary EnClass® crop growth model using this weather information. Though crop growth indices produced by the proprietary EnClass® crop growth model using this weather information.

Where shown, soil information is provided by Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Soil Survey Geographic (SSURGO) Database available online at http://soildatamart.nrcs.usda.gov.

Information and results contained herein represent the average of all comparisons across the area indicated. Results may not predict future performance and may not be complete. Testing accuracy, area variations and a limited environmental base can give misleading results. Multi-year and multi-location information is a better predictor of future performance. Please use this information as only one component of your product positioning decision.

*** *** Since the trait/segment information is derived from each competitor's own product information, Pioneer makes no representations or warranties as to its accuracy, completeness or suitability.

Insecticide Seed Treatment (IST) indicates an insecticide seed treatment was purchased on the seed. Potential insecticide seed treatments include Gaucho®. Purchased or applied to the seed.

Fungicide Seed Treatment (FST) indicates a fungicide seed treatment was purchased on or applied to the seed prior to planting. Potential fungicide seed treatments may include but are not limited to: Allegiance®, Apron® XL, Maxim, Apron® Maxx, Apron® Maxx RTA, Captan*, Kickstart, Protégé, SoyGard®, Rival, RTU, Vitavax 200 and Stiletto.

Segments:

Always follow stewardship practices in accordance with the Product Use Guide (PUG) or other product-specific stewardship requirements including grain marketing and pesticide label directions. Varieties with BOLT® technology provide excellent plant-back flexibility for soybeans following application of sulfonylurea (SU) herbicides such as DuPont/, Enesse® applied to wheat the previous fall.

R - Always follow grain marketing, stewardship practices and pesticide label directions. Varieties with the Glyphosate herbicides designated by the letter "R" in the product number) contain genes that confer tolerance to glyphosate herbicides. Glyphosate herbicides will kill crops that are not tolerant to glyphosate.

RR2Y - Always follow grain marketing, stewardship practices and pesticide label directions. Varieties with the Genuity® Roundup Ready 2 Yield® (RR2Y) trait contain genes that confer tolerance to glyphosate, the active ingredient in Roundup® brand agricultural herbicides. Roundup® brand agricultural herbicides will kill crops that are not tolerant to glyphosate. Genuity®, Roundup® and Roundup Ready 2 Yield® are registered trademarks of Monsanto Technology LLC used under license. Individual results may vary, and performance may vary from location to location and from year to year. This result may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

RR2X - DO NOT APPLY DICAMBA HERBICIDE IN-CROP TO SOYBEANS WITH Roundup Ready 2 Xtend® technology unless you use a dicamba herbicide product that is specifically labeled for that use in the location where you intend to make the application. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO MAKE AN IN-CROP APPLICATION OF ANY DICAMBA HERBICIDE PRODUCT ON SOYBEANS WITH Roundup Ready 2 Xtend® technology, OR ANY OTHER PESTICIDE APPLICATION, UNLESS THE PRODUCT LABELING SPECIFICALLY



AUTHORIZES THE USE. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Soybeans with Roundup Ready 2 Xtend® technology. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Soybeans with Roundup Ready 2 Xtend® technology contain genes that confer tolerance to glyphosate and dicamba. Glyphosate herbicides will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to glypho

Varieties with the STS® trait are tolerant to certain sulfonylurea (SU) herbicides. This technology allows post-emergent applications of DuPont¿ Synchrony® XP and DuPont(TM) Classic® herbicides without crop injury or stress (see herbicide product labels). NOTE: A soybean variety with a herbicide tolerant trait does not confer tolerance to all herbicides. Spraying herbicides not labeled for a specific soybean variety will result in severe plant injury or plant death. Always read and follow herbicide label directions and precautions for use.

LL - Varieties with the LibertyLink® (LL) gene are resistant to Liberty® herbicide.

Liberty®, LibertyLink® and the Water Droplet Design are registered trademarks of BASF.

P/Plenish - Plenish® high oleic soybeans for contract production only. Plenish® high oleic soybeans have an enhanced oil profile and are produced and channeled under contract to specific grain markets. Growers should refer to the Pioneer Product Use Guide on www.pioneer.com/us/stewardship for more information.

SCN - Displays good to excellent resistance to soybean cyst nematode.

Product responses are variable and subject to any number of environmental, disease and pest pressures. Individual results may vary. Multi-year and multi-location data are a better predictor of future performance. DO NOT USE THIS OR ANY OTHER DATA FROM A LIMITED NUMBER OF TRIALS AS A SIGNIFICANT FACTOR IN PRODUCT SELECTION. Refer to www.pioneer.com or contact a Pioneer sales representative or authorized dealer for the latest and complete listing of traits and scores for each Pioneer® brand product.

Pioneer® brand products are provided subject to the terms and conditions of purchase which are part of the labeling and purchase documents. TM ® SM Trademarks and service marks of Corteva Agriscience and its affiliated companies. © 2021 Corteva.

© 2021 Corteva. All rights reserved. The services associated with providing this information are provided for the grower's individual evaluation of products and conditional upon the grower agreeing that no part of this document, or information provided in this document, may be shared with any third-party including any third-party seed company. Any reproduction or use of this form, or the data contained herein, without prior written permission of Pioneer is strictly prohibited unless you are a Pioneer employee or authorized sales agent of Pioneer.